Virtual University	MTH202- Discrete Mathematics Latest Solved MCQS from Final term Papers		13 july,2011		
	Mc100401285	moaaz.pk@gmail.com	Moaaz Siddiq		
FINALTERM EXAMINATION Spring 2010 MTH202- Discrete Mathematics (Session - 2)					
Question No: 1 (Marks: 1) - Please choose one If p = It is raining q = She will go to college "It is raining and she will not go to college" will be denoted by					
$ p \land \sim q \text{ Correct.} $ $ p \land q $ $ \sim (p \land q) $ $ \sim p \land q $					
Question No: 2 (Marks: 1) - Please choose one In a directed graph of a Irreflexive relation, there should be					
 Loop on a one point No loop at any point (Page 89) No point connected 					
Question No: 4 (Marks: 1) - Please choose one How many functions are there from a set with three elements to a set with two elements? ► 6 ► 8 ► 12 n ^m = 2 ³ = 8					
Question No: 5 (Marks: 1) - Please choose one If a set contains exactly <i>m</i> distinct elements where <i>m</i> denotes some non negative integer then the set is. ► Finite (Page 40) ► Infinite ► None of these					
Question No: 6 (Marks: 1) - Please choose one Let f and g be the functions defined by					

mc100401285



```
f(x)=2x+3 & g(x)=3x+2 then composition of f and g is
```

```
► 6x+6
    ► 5x+5
    ► 6x+7
fog = f(3x+2)
    =2(3x+2)+3
    = 6x + 4 + 3
    = 6x + 7
Question No: 7 (Marks: 1) - Please choose one
Let f is defined recursively by
           F(0)=3
           F(n+1)=2f(n)+2
           Then f(2)=
    ▶ 8
    ▶ 10
    ► 18
    ▶ 21
f(1) = 2f(0) + 2 = 2(3) + 2 = 6 + 2 = 8
f(2) = 2f(1) + 2 = 2(8) + 2 = 16 + 2 = 18
Question No: 9 (Marks: 1) - Please choose one
If a pair of dice is thrown then the probability of getting a total of 5 or 11 is
        1
      18
      \frac{1}{9}
   \succ \frac{1}{6}
Outcomes with sum of 5 = (1, 4)(2, 3), (3, 2), (4, 1)
Outcomes with sum of 11 = (5,6), (6,5)
```

Total outcomes for 5 & 11 = 6Total outcome for $2 dice = 6 \times 6 = 36$

Probability $=\frac{6}{36}=\frac{1}{6}$

Question No: 10 (Marks: 1) - Please choose one If a die is rolled then what is the probability that the number is greater than 4

mc100401285

moaaz.pk@gmail.com

 $\begin{array}{c} & \frac{1}{3} \\ & \frac{3}{4} \\ & \frac{1}{2} \end{array}$

Number greater than 4 = 5, 6


Probability $=\frac{2}{6}=\frac{1}{3}$

Question No: 11 (Marks: 1) - Please choose one What is the expectation of the number of heads when three fair coins are tossed?

- ▶ 1
- ▶ 1.34
- ▶ 2

▶ 1.5 (Page 277)

Question No: 13 (Marks: 1) - Please choose one The Hamiltonian circuit for the following graph is



abcdefgh
abefgha
abcdefgha (Page 297)

Question No: 14 (Marks: 1) - Please choose one Let n and d be integers and $d \neq 0$. Then n is divisible by d or d divides n If and only if

```
n= k.d for some integer k (Page 179)
n=d
n.d=1
none of these
```

Question No: 16 (Marks: 1) - Please choose one The sum of two irrational number must be an irrational number

```
False (Page 197)
True
```

Question No: 17 (Marks: 1) - Please choose one





The square root of every prime number is irrational

► True

- ► False
- ► Depends on the prime number given

Question No: 18 (Marks: 1) - Please choose one The greatest common divisor of 27 and 72 is

- ▶ 27
- ▶ 9
- ▶ 1
- ► None of these

Solution:

1.Divide 72 by 27: This gives $72 = 27 \cdot 2 + 18$ 2.Divide 27 by 18: This gives $27 = 18 \cdot 1 + 9$ 3.Divide 18 by 9: This gives $18 = 9 \cdot 2 + 0$ Hence greatest common divisor (72, 27) = 9.

Question No: 19 (Marks: 1) - Please choose one If T is a full binary tree and has 5 internal vertices then the total vertices of T are

- ▶ 11
- ▶ 12
- ▶ 13
- ► None of the these

2k+1=2(5)+1=10+1=11

Question No: 20 (Marks: 1) - Please choose one Suppose that a connected planar simple graph has 30 edges. If a plane drawing of this graph has 20 faces, how many vertices does the graph have?

- ▶ 12 (Page 318) ▶ 13
- ▶14

Question No: 21 (Marks: 1) - Please choose one How many different ways can three of the letters of the word BYTES be chosen if the first letter must be B?

- ► P(4,2)
- ► P(2,4)
- ► C(4,2)
- ► None of these



moaaz.pk@gmail.com

0
1 (Page 160)
Cannot be determined

Question No: 23 (Marks: 1) - Please choose one An arrangement of objects with the consideration of order is called

```
Permutation (Page 219)
```

► Combination

- ► Selection
- ► None of these

```
Question No: 25 (Marks: 1) - Please choose one
```

Among 200 people, 150 either swim or jog or both. If 85 swim and 60 swim and jog, how many jog?

- 125 (Page 241)
 225
- ▶ 85
- ▶ 25

Question No: 26 (Marks: 1) - Please choose one If a graph is a tree then

- ▶ it has 2 spanning trees
- ▶ it has only 1 spanning tree (Page 329)
- ▶ it has 4 spanning trees
- ▶ it has 5 spanning trees


Question No: 27 (Marks: 1) - Please choose one Euler formula for graphs is

- ► f = e v
- $\blacktriangleright f = e + v + 2$
- ► f = e v 2
- ▶ f = e v + 2 (Page 317)

Question No: 28 (Marks: 1) - Please choose one The given graph is







Question No: 29 (Marks: 1) - Please choose one An integer n is odd if and only if n = 2k + 1 for some integer k.

True (Page 187)

► False

► Depends on the value of k

Question No: 30 (Marks: 1) - Please choose one If $P(A \cap B) = P(A)P(B)$ then the events A and B are called

- ► Independent (Page 272)
- ► Dependent
- ► Exhaustive

FINALTERM EXAMINATION Spring 2010 MTH202- Discrete Mathematics (Session - 1)

Question No: 1 (Marks: 1) - Please choose one Whether the relation R on the set of all integers is reflexive, symmetric, antisymmetric, or transitive,

where $(x, y) \in R$ if and only if $xy \ge 1$

- > Anti symmetric
- > Transitive
- Symmetric
- Both Symmetric and transitive

http://www.maths.uq.edu.au/courses/MATH1061/wkbooksols/chap10/S10_5_3solution.htm



moaaz.pk@qmail.com

Question No: 2 (Marks: 1) - Please choose one

For a binary relation R defined on a set A , if for all $t \in A, (t, t) \notin R$ then R is

- > Anti symmetric
- > Symmetric
- Irreflexive (Page 77)

Question No: 3 (Marks: 1) - Please choose one If $(A \cup B) = A$, then $(A \cap B) = B$

- > True
- > False
- > Cannot be determined

Question No: 4 (Marks: 1) - Please choose one Let

 $a_0 = 1, a_1 = -2 \text{ and } a_2 = 3$ then $\sum_{j=0}^{2} a_j =$ > -6

> 2 > 8 1+(-2)+3=2

Question No: 5 (Marks: 1) - Please choose one The part of definition which can be expressed in terms of smaller versions of itself is called

Base Restriction **Recursion (page 159)** Conclusion

Question No: 6 (Marks: 1) - Please choose one

$$\left\lceil \frac{N}{6} \right\rceil = 9$$

What is the smallest integer N such that

> 46 > 29 > 49 $N = 6 \times (9 - 1) + 1$ = 6 × 8 + 1 = 49

Question No: 7 (Marks: 1) - Please choose one In probability distribution random variable f satisfies the conditions



moaaz.pk@gmail.com

$$f(x_i) \le 0 \quad and \quad \sum_{i=1}^n f(x_i) \ne 1$$

$$f(x_i) \ge 0 \quad and \quad \sum_{i=1}^n f(x_i) = 1 \text{ (Page 275)}$$

$$f(x_i) \ge 0 \quad and \quad \sum_{i=1}^n f(x_i) \ne 1$$

$$f(x_i) \prec 0 \quad and \quad \sum_{i=1}^n f(x_i) = 1$$

Question No: 8 (Marks: 1) - Please choose one

What is the probability that a hand of five cards contains four cards of one kind?

> 0.0018 $> \frac{1}{2}$

➢ 0.0024 (page 253)


Question No: 9 (Marks: 1) - Please choose one A rule that assigns a numerical value to each outcome in a sample space is called

- \blacktriangleright One to one function
- Conditional probability
- Random variable (Page 274)

Question No: 10 (Marks: 1) - Please choose one A walk that starts and ends at the same vertex is called

- > Simple walk
- ➤ Circuit
- Closed walk (Page 292)

Question No: 11 (Marks: 1) - Please choose one The Hamiltonian circuit for the following graph is



- ➢ abcdefgh
- ➤ abefgha
- abcdefgha (Page 297)

Question No: 14 (Marks: 1) - Please choose one The square root of every prime number is irrational

- True
- ➢ False
- Depends on the prime number given





```
Question No: 15 (Marks: 1) - Please choose one
If a and b are any positive integers with b\neq 0 and q and r are non negative integers such that a=b.q+r then
```

```
    gcd(a,b)=gcd(b,r) (Page 207)
```

```
\triangleright gcd(a,r)=gcd(b,r)
```

 \triangleright gcd(a,q)=gcd(q,r)

Question No: 16 (Marks: 1) - Please choose one The greatest common divisor of 27 and 72 is

- ≻ 27
- > 9
- ▶ 1
- \succ None of these

Solution:

1.Divide 72 by 27: This gives $72 = 27 \cdot 2 + 18$ 2.Divide 27 by 18: This gives $27 = 18 \cdot 1 + 9$ 3.Divide 18 by 9: This gives $18 = 9 \cdot 2 + 0$ Hence greatest common divisor (72, 27) = 9.

Question No: 17 (Marks: 1) - Please choose one

In how many ways can a set of five letters be selected from the English Alphabets?

- ≻ C(26,5)
- ≻ C(5,26)
- ► C(12,3)
- \succ None of these


Question No: 18 (Marks: 1) - Please choose one A vertex of degree greater than 1 in a tree is called a


- Branch vertex (Page 323)
- Terminal vertex
- ➢ Ancestor

Question No: 19 (Marks: 1) - Please choose one For the given pair of graphs whether it is










mc100401285



moaaz.pk@gmail.com

$$\frac{(n+1)!}{(n-1)!}$$

The value of

- ⊳ 0
- ▶ n(n-1)
- \succ $n^2 + n$
- Cannot be determined

$$\frac{(n+1)!}{(n-1)!} = \frac{(n+1).n.(n-1)!}{(n-1)!} = (n+1).n = n^2 + n$$

is

Question No: 24 (Marks: 1) - Please choose one Any two spanning trees for a graph

- Does not contain same number of edges
- ➢ Have the same degree of corresponding edges
- contain same number of edges (Page 329)
- May or may not contain same number of edges

Question No: 25 (Marks: 1) - Please choose one When 3^k is even, then $3^k+3^k+3^k$ is an odd.

- ➤ True
- > False

Question No: 26 (Marks: 1) - Please choose one

Quotient –Remainder Theorem states that for any positive integer d, there exist unique integer q and r such that n=d.q+ r and ______.

- ➢ 0≤r<d (Page 201)</p>
- ▶ 0<r<d</p>
- ▶ 0≤d<r</p>
- \blacktriangleright None of these

Question No: 27 (Marks: 1) - Please choose one The value of $\lceil x \rceil$ for x = -3.01 is

```
→ -3.01
→ -3
→ -2
```

▶ -1.99

```
\lfloor -3.01 \rfloor = \lfloor -4 + 0.99 \rfloor = -4
\lceil -3.01 \rceil = \lceil -4 + 0.99 \rceil = -4 + 1 = -3
```





```
Question No: 29 (Marks: 1) - Please choose one
An integer n is prime if and only if n > 1 and for all positive integers r and s, if
n = r \cdot s, then
```

r = 1 or s = 2.
r = 1 or s = 0.
r = 2 or s = 3.
None of these (Page 187)

Question No: 30 (Marks: 1) - Please choose one If $P(A \cap B) = P(A)P(B)$ then the events A and B are called

- Independent (Page 272)
- > Dependent
- ➤ Exhaustive

FINALTERM EXAMINATION Fall 2009 MTH202- Discrete Mathematics

If A and B are two disjoint (mutually exclusive) events then, $P(A \cup B) =$

- \blacktriangleright P(A) + P(B) + P(A \cap B)
- \triangleright P(A) + P(B) + P(AUB)
- \succ P(A) + P(B) P(A \cap B)
- $\succ P(A) + P(B) P(A \cap B)$
- ➢ P(A) + P(B) (Page 240)

If p=It is red,

q=It is hot

- Then, It is not red but hot is denoted by ${}^{\sim} p {}^{\wedge} {}^{\sim} q$
 - ➤ True
 - > False

If $(A \cup B) = A$, then $(A \cap B) = B$

- > True
- ➤ False
- Cannot be determined

How many integers from 1 through 1000 are neither multiple of 3 nor multiple of 5?

- > 333
- ▶ 467
- > 533 (Page 245)



moaaz.pk@gmail.com

497 \geq |x|The value of for -2.01 is > -3 ▶ 1 ➢ -2 (Page 249) If p = Nadia is hard working, q = Nadia is good in mathematics "Nadia is hard working and good in mathematics" is denoted by $p \land q$ Correct. \geq $p \wedge \sim q$ \triangleright $\sim (p \vee q)$ \geq $p \vee q$ A die is thrown twice. What is the probability that the sum of the number of dots shown is 3 or 11? 2

```
\frac{2}{3}
    \triangleright
         1
       9 Correct.
         1
        \overline{2}
Outcomes with sum of 5 = (1, 2)(2, 1)
Outcomes with sum of 11 = (5, 6), (6, 5)
Total outcomes for 5 \& 11 = 4
Total outcome for 2 dice = 6 \times 6 = 36
Probability = \frac{4}{36} = \frac{1}{9}
                                                 P(A|B) =
    If A and B are independent events then
    ► P(B)
    P (A) (Page 272)
       P(A \cap B)
  What is the expectation of the number of heads when three fair coins are tossed?
    \geq
       1
    ▶ 1.34
```

```
≥ 2
```

```
> 1.5 (Page 277)
```

Every relation is

➢ function





- > may or may not function
- bijective mapping
- Cartesian product set

The statement $p \leftrightarrow q = (p \rightarrow q) \land (q \rightarrow p)$ describes

- Commutative Law
- Implication Laws
- ➢ Exportation Law
- > Equivalence

 $f(x) = x^3 - 2x^2 + 4x - 1$ then the value of f(1-x) is Given

```
\frac{1}{x^{3}} - \frac{2}{x^{2}} + \frac{4}{x} - 1
(-x^{3} + x^{2} - 3x + 2)
(-x^{3} + x^{2} - 3x + 2)
(-x^{3} + x^{2} - 3x + 2)
(-x^{3} + x^{2} - x^{3})
```

```
f(1-x) = (1-x)^{3} - 2(1-x)^{2} + 4(1-x) - 1
= 1-x<sup>3</sup> + 3x<sup>2</sup> - 3x - 2(1+x<sup>2</sup> - 2x) + 4 - 4x - 1
= f - x^{3} + 3x^{2} - 3x - 2 - 2x^{2} + 4x + 4 - 4x - 1
= -x<sup>3</sup> + 3x<sup>2</sup> - 2x<sup>2</sup> - 3x - 2 + 4
= -x<sup>3</sup> + x<sup>2</sup> - 3x + 2
```

The square root of every prime number is irrational

- > True
- ➢ False
- Depends on the prime number given

A predicate is a sentence that contains a finite number of variables and becomes a statement when specific values are substituted for the variables

- **True (Page 202)**
- ➤ False
- \succ None of these

If r is a positive integer then gcd(r,0)=

- > r
- ▶ 0
- ▶ 1
- None of these

Associative law of union for three sets is





 $A \cup (B \cup C) = (A \cup B) \cup C$ $> A \cap (B \cap C) = (A \cap B) \cap C$ $> A \cup (B \cap C) = (A \cup B) \cap (A \cup B)$ None of these

Values of X and Y, if the following order pairs are equal. (4X-1, 4Y+5)=(3,5)will be (x,y) = (3,5) (x,y) = (1.5,2.5) (x,y) = (1,0)None of these

4X - 1 = 34Y + 5 = 54X = 3 + 14Y = 5 - 54X = 44Y = 0 $X = \frac{4}{4} = 1$ $Y = \frac{0}{4} = 0$

The expectation of x is equal to

- Sum of all terms
- Sum of all terms divided by number of terms

> $\sum xf(x)$ (Page 277)

A line segment joining pair of vertices is called

- ≻ Loop
- Edge (Page 283)
- ➢ Node

The indirect proof of a statement $p \rightarrow q$ involves

- \blacktriangleright Considering ~q and then try to reach ~p
- Considering p and ~q and try to reach contradiction
- **b** Both 2 and 3 above (Not sure)
- Considering p and then try to reach q

The greatest common divisor of 5 and 10 is

- > 5
- ▶ 0
- ▶ 1
- \succ None of these

Suppose that there are eight runners in a race first will get gold medal the second will get siver and third will get bronze. How many different ways are there to award these medals if all possible outcomes of race can occur and there is no tie?




moaaz.pk@gmail.com

- > P(8,3)
- ➢ P(100,97)
- ≻ P(97,3)
- None of these

The value of 0! Is

- ⊳ 0
- > 1 (Page 160)
- Cannot be determined

Which of the following graphs are tree?



- b, c, d
 c, d, e
- ▶ c, d, e
 ▶ a, c, e
- ► a , c, e

A sub graph of a graph G that contains every vertex of G and is a tree is called

- > Trivial tree
- > empty tree
- Spanning tree (Page 329)

In the planar graph, the graph crossing number is

- ➢ 0 (Page 314)
- ▶ 1
- ≥ 2
- ≽ 3

A matrix in which number of rows and columns are equal is called

- Rectangular Matrix
- Square Matrix (Page 289)
- Scalar Matrix

Changing rows of matrix into columns is called

- Symmetric Matrix
- > Transpose of Matrix (Page 299)
- > Adjoint of Matrix

If A and B are finite (overlapping) sets, then which of the following must be true





 \succ n(A∪B) = n(A) + n(B)

- > $n(A \cup B) = n(A) + n(B) n(A \cap B)$ (Page 240)
- \succ n(AUB)=ø
- \blacktriangleright None of these

When 3^k is even, then $3^k+3^k+3^k$ is an odd.

- ➤ True
- > False

When 5^k is even, then $5^k+5^k+5^k$ is odd.

- > True
- ➤ False

5ⁿ -1 is divisible by 4 for all positive integer values of n.

- > True
- ➤ False

If r is a positive integer then gcd(r, 5) =

- ≻ r
- > 5
- ▶ 0
- \triangleright None of these

The product of the positive integers from 1 to n is called

- ➢ Multiplication
- n factorial (Page 217)
- Geometric sequence

The expectation **µ** for the following table is

mc100401285

x _i	1	3	
f(x _i)	0.4	0.1	
▶ 0.5▶ 3.4			
▶ 0.3			

> 0.7



 $\sum xf(x) = (1 \times 0.4) + (3 \times 0.1)$ = 0.4 + 0.3= 0.7


If p= A Pentium 4 computer,

q= attached with ups.

Then "no Pentium 4 computer is attached with ups" is denoted by

- \geq $\sim (p \wedge q)$
- $\sim p \lor q$ \geq
- ~ p ^ q
- \blacktriangleright None of these

The given graph is



- Simple graph
- Complete graph \geq
- ➢ Bipartite graph
- \blacktriangleright Both (i) and (ii)
- \triangleright Both (i) and (iii)

P(n) is called proposition or statement.

- \succ True (Page 170)
- ➤ False
- An integer n is odd if and only if n = 2k + 1 for some integer k.
 - True (Page 187)
 - ➤ False
 - \blacktriangleright Depends on the value of k
- An integer n is called a perfect square if and only if $n = k^2$ for some integer k.
 - True (Page 187) \geq
 - ➤ False
 - \triangleright Depends on the value of k





FINALTERM EXAMINATION Fall 2009 MTH202- Discrete Mathematics

Question No: 1 (Marks: 1) - Please choose one

Let $A = \{a, b, c\}$ and

 $R = \{(a, c), (b, b), (c, a)\}$ be a relation on A. Is R

- ► Transitive
- ► Reflexive
- ► Symmetric
- ► Transitive and Reflexive

Question No: 2 (Marks: 1) - Please choose one


Symmetric and antisymmetric are

- ► Negative of each other
- ► Both are same
- ► Not negative of each other (Page 90)

Question No: 3 (Marks: 1) - Please choose one

- The statement $p \Box \dot{q} \Box q \Box p$ describes
 - **Commutative Law:**
 - ► Implication Laws:
 - ► Exportation Law:
 - ► Equivalence:

Question No: 4 (Marks: 1) - Please choose one The relation as a set of ordered pairs as shown in figure is



- ► {(a,b),(b,a),(b,d),(c,d)}
- $\blacktriangleright \{(a,b),(b,a),(a,c),(b,a),(c,c),(c,d)\}$
- ► {(a,b), (a,c), (b,a),(b,d), (c,c),(c,d)}
- $\blacktriangleright \{(a,b), (a,c), (b,a), (b,d), (c,d)\}$

Question No: 5 (Marks: 1) - Please choose one The statement $p \Box q \Box (p \Box \neg q) \Box c$ describes





- ► Commutative Law:
- ► Implication Laws:
- ► Exportation Law:
- Reductio ad absurdum

Question No: 6 (Marks: 1) - Please choose one A circuit with one input and one output signal is called.

- ► NOT-gate (or inverter) (Page 31)
- ► OR- gate
- ► AND- gate
- ► None of these

Question No: 7 (Marks: 1) - Please choose one If f(x)=2x+1, $g(x)=x^2 -1$ then fg(x)=

- ► x² -1
- $\blacktriangleright 2x^2 1$ $\sim 2x^3 - 1$

```
fg(x) = f(x^2 - 1)
f(x^2-1) = 2(x^2-1)+1
        =2x^{2}-2+1
         =2x^{2}-2
```

Question No: 8 (Marks: 1) - Please choose one Let g be the functions defined by g(x) = 3x+2 then gog(x) =

$$9x^{2} + 4$$

► 6x+4
► 9x+8

$$gg(x) = g(3x+2)$$

$$g(3x+2) = 3(3x+2)+2$$

$$= 9x+6+2$$

$$= 9x+8$$

Question No: 9 (Marks: 1) - Please choose one How many integers from 1 through 1000 are neither multiple of 3 nor multiple of 5? ▶ 333

▶ 467

mc100401285

moaaz.pk@gmail.com

```
▶ 533 (Page 245)
▶ 497
```

Question No: 10 (Marks: 1) - Please choose one

 $\left\lceil \frac{N}{6} \right\rceil = 9$

What is the smallest integer N such that


▶ 46
▶ 29
▶ 49

 $N = 6 \times (9-1) + 1$

 $= 6 \times 8 + 1 = 49$

Question No: 11 (Marks: 1) - Please choose one

What is the probability of getting a number greater than 4 when a die is thrown?



Number greater than 4 = 5, 6

Probability $=\frac{2}{6}=\frac{1}{3}$

Question No: 12 (Marks: 1) - Please choose one If A and B are two disjoint (mutually exclusive) events then $P(A \Box B) =$

P(A) + P(B) + P(A□B)
P(A) + P(B) + P(AUB)
P(A) + P(B) - P(A□B)
P(A) + P(B) - P(A□B)
P(A) + P(B) Page (240)

Question No: 13 (Marks: 1) - Please choose one If a die is thrown then the probability that the dots on the top are prime numbers or odd numbers is

 \succ 1 \succ $\frac{1}{2}$





```
\frac{2}{3}
    ≻
Prime number or odd number =1,3,5
Total outcomes =6
Probability = 3/6=1/2
Question No: 14 (Marks: 1) - Please choose one
The probability of getting 2 heads in two successive tosses of a balanced coin is
        1
        4
        1
       \frac{\overline{2}}{2}\frac{2}{3}
Question No: 15
                    (Marks: 1) - Please choose one
The probability of getting a 5 when a die is thrown?
        6
        5
        6
        1
        3
Question No: 16
                    (Marks: 1) - Please choose one:
If a coin is tossed then what is the probability that the number is 5
        1
       \overline{2}
       0
    ≻
    1
Wrong Question
Question No: 17 (Marks: 1) - Please choose one
If A and B are two sets then The set of all elements that belong to both A and B, is
    \blacktriangleright A \square B
    ► A □ B (Page 42)
    ► A--B
    ► None of these
                    (Marks: 1) - Please choose one
Ouestion No: 18
What is the expectation of the number of heads when three fair coins are tossed?
    ▶ 1
                                                     moaaz.pk@qmail.com
        _mc100401285
```

```
▶ 1.34
▶ 2
```

▶ 1.5 (Page 277)

Question No: 19 (Marks: 1) - Please choose one

If A, B and C are any three events, then $P(A \square B \square C)$ is equal to

- \blacktriangleright P(A) + P(B) + P(C)
- $\blacktriangleright P(A) + P(B) + P(C) P(A \Box B) P(A \Box C) P(B \Box C) + P(A \Box B \Box C) (Page 264)$
- $\blacktriangleright P(A) + P(B) + P(C) P(A \Box B) P(A \Box C) P(B \Box C)$
- $\blacktriangleright P(A) + P(B) + P(C) + P(A \square B \square C)$

Question No: 20 (Marks: 1) - Please choose one

A rule that assigns a numerical value to each outcome in a sample space is called

- ► One to one function
- Conditional probability
- Random variable (Page 274)

Question No: 21 (Marks: 1) - Please choose one

The power set of a set A is the set of all subsets of A, denoted P(A).

- ► False
- ► True (Page 68)

Question No: 22 (Marks: 1) - Please choose one

A walk that starts and ends at the same vertex is called

- ► Simple walk
- ► Circuit
- Closed walk (Page 292)

Question No: 23 (Marks: 1) - Please choose one

If a graph has any vertex of degree 3 then

- ► It must have Euler circuit
- ► It must have Hamiltonian circuit
- ► It does not have Euler circuit

Question No: 24 (Marks: 1) - Please choose one

The square root of every prime number is irrational

► True

- ► False
- ► Depends on the prime number given

Question No: 25 (Marks: 1) - Please choose one

A predicate is a sentence that contains a finite number of variables and becomes a statement when specific values are substituted for the variables

True (Page 202)
False



moaaz.pk@qmail.com

```
► None of these
```

Question No: 26 (Marks: 1) - Please choose one

If r is a positive integer then gcd(r,0)=

- ▶ r
- ▶ 0
- ▶ 1

```
► None of these
```

Question No: 27 (Marks: 1) - Please choose one

Combinatorics is the mathematics of counting and arranging objects

```
► True (Page 209)
```

- ► False
- ► Cannot be determined

Question No: 28 (Marks: 1) - Please choose one

A circuit that consist of a single vertex is called

```
Trivial (Page 322)
```

- ► Tree
- ► Empty

Question No: 29 (Marks: 1) - Please choose one

In the planar graph, the graph crossing number is

▶ 0 (Page 314)
 ▶ 1

- \blacktriangleright 2
- \blacktriangleright 3

Question No: 30 (Marks: 1) - Please choose one

How many ways are there to select five players from a 10 member tennis team to make a trip to a match to another school?

► C(10,5)
 ► C(5,10)

- \blacktriangleright P(10.5)
- None of these

Solution: The answer is given by the number of 5-combinations of a set with ten elements. By Theorem 2, the number of such combinations is

$$C(10,5) = \frac{10!}{5!\,5!} = 252$$

Question No: 31 (Marks: 1) - Please choose one The value of 0! Is

▶ 0▶ 1





```
    Cannot be determined
```

Question No: 32 (Marks: 1) - Please choose one

If the transpose of any square matrix and that matrix are same then matrix is called

- Additive Inverse
- ► Hermition Matrix
- Symmetric Matrix (Page 299)

Question No: 33 (Marks: 1) - Please choose one $\frac{(n-1)!}{(n+1)!}$

is

(n+1)

The value of

▶ 0

$$\blacktriangleright \frac{1}{\left(n^2 + n\right)}$$
 (Page 217)

► Cannot be determined

Question No: 34 (Marks: 1) - Please choose one

If A and B are two disjoint sets then which of the following must be true

- $\blacktriangleright n(A \Box B) = n(A) + n(B) (Page 257)$
- $\blacktriangleright n(A \Box B) = n(A) + n(B) n(A \Box B)$

►
$$n(A \square B) = ø$$

► None of these

Question No: 35 (Marks: 1) - Please choose one Any two spanning trees for a graph

- ► Does not contain same number of edges
- ► Have the same degree of corresponding edges
- contain same number of edges (Page 329)
- ► May or may not contain same number of edges

Question No: 36 (Marks: 1) - Please choose one When P(k) and P(k+1) are true for any positive integer k, then P(n) is not true for all +ve Integers.

```
TrueFalse (Lecture 23)
```

Question No: 37 (Marks: 1) - Please choose one $n^2 > n+3$ for all integers $n \square 3$.

► True



moaaz.pk@gmail.com

```
► False
```

Question No: 38 (Marks: 1) - Please choose one Quotient –Remainder Theorem states that for any positive integer d, there exist unique integer q and r such that ______ and $0 \le r \le d$.


```
    n=d.q+ r (Page 201)
    n=d.r+ q
    n=q.r+ d
```

► None of these

Question No: 39 (Marks: 1) - Please choose one Euler formula for graphs is

f = e-v
f = e+v +2
f = e-v-2
f = e-v+2 (Page 317)

Question No: 40 (Marks: 1) - Please choose one The degrees of {a, b, c, d, e} in the given graph is



Question No: 1 (Marks: 1) - Please choose one The negation of "Today is Friday" is

- Today is Saturday
- Foday is not Friday
- Today is Thursday

Question No: 2 (Marks: 1) - Please choose one An arrangement of rows and columns that specifies the truth value of a compound proposition for all



moaaz.pk@amail.com

possible truth values of its constituent propositions is called

- **Truth Table (Page 6)**
- ➢ Venn diagram
- ➢ False Table
- \triangleright None of these

Question No: 4 (Marks: 1) - Please choose one

Contra positive of given statement "If it is raining, I will take an umbrella" is

- > I will not take an umbrella if it is not raining.
- > I will take an umbrella if it is raining.
- ▶ It is not raining or I will take an umbrella.
- \triangleright None of these.

Question No: 5 (Marks: 1) - Please choose one

Let $A = \{1, 2, 3, 4\}$ and $R = \{(1, 1), (2, 2), (3, 3), (4, 4)\}$ then

- \triangleright **\triangleright** R is symmetric.
- \triangleright **\triangleright** R is anti symmetric.
- \triangleright **\triangleright** R is transitive.
- \triangleright **\triangleright** R is reflexive.
- All given options are true

Question No: 6 (Marks: 1) - Please choose one

A binary relation R is called Partial order relation if

- \succ It is Reflexive and transitive
- > It is symmetric and transitive
- > It is reflexive, symmetric and transitive
- > It is reflexive, anti symmetric and transitive

Question No: 7 (Marks: 1) - Please choose one

How many functions are there from a set with three elements to a set with two elements?

▶ 6 > 8 ▶ 12 $n^m = 2^3 = 8$

Question No: 8 (Marks: 1) - Please choose one 1,10,10²,10³,10⁴,10⁵,10⁶,10⁷,.....

- Arithmetic series
- \succ Geometric series
- > Arithmetic sequence
- Geometric sequence

Question No: 9 (Marks: 1) - Please choose one |x|for x = -2.01 is





> -2.01
> -3
> -2 (Page 249)
> -1.99

Question No: 10 (Marks: 1) - Please choose one If A and B are two disjoint (mutually exclusive)

events then $P(A\dot{E}B) =$

- \rightarrow P(A) + P(B) + P(ACB)
- P(A) + P(B) + P(AUB)
- P(A) + P(B) P(ACB)
- \blacktriangleright P(A) + P(B) P(ACB)
- \rightarrow P(A) + P(B)

Question No: 11 (Marks: 1) - Please choose one

If a die is thrown then the probability that the dots on the top are prime numbers or odd numbers is

 $\begin{array}{c} \searrow 1 \\ \swarrow \frac{1}{2} \\ \swarrow \frac{2}{3} \end{array}$

Question No: 12 (Marks: 1) - Please choose one

If $P(A \cap B) = P(A)P(B)$ then the events A and B are called

- Independent (Page 272)
- > Dependent
- > Exhaustive

Question No: 13 (Marks: 1) - Please choose one

A rule that assigns a numerical value to each outcome in a sample space is called

- One to one function
- > Conditional probability
- Random variable (Page 274)


Question No: 14 (Marks: 1) - Please choose one The expectation of x is equal to

- ➢ Sum of all terms
- Sum of all terms divided by number of terms
- $\succ \sum xf(x)$ (Page 277)

Question No: 15 (Marks: 1) - Please choose one The degree sequence {a, b, c, d, e} of the given graph is








Question No: 16 (Marks: 1) - Please choose one

Which of the following graph is not possible?

- ➢ Graph with four vertices of degrees 1, 2, 3 and 4. (Page 287)
- ▶ Graph with four vertices of degrees 1, 2, 3 and 5.
- \blacktriangleright Graph with three vertices of degrees 1, 2 and 3.
- \triangleright Graph with three vertices of degrees 1, 2 and 5.

Question No: 17 (Marks: 1) - Please choose one The graph given below



- ➢ Has Euler circuit
- ➢ Has Hamiltonian circuit
- > Does not have Hamiltonian circuit (Page 297)

Question No: 18 (Marks: 1) - Please choose one Let n and d be integers and d¹0. Then n is divisible by d or d divides n If and only if

- ▶ n= k.d for some integer k (Page 179)
- ► n=d
- ▶ n.d=1
- ▶ none of these

Question No: 20 (Marks: 1) - Please choose one An integer n is prime if, and only if, n > 1 and for all positive integers r and s, if $n = r \cdot s$, then

r = 1 or s = 1. (Page 187)
r = 1 or s = 0.
r = 2 or s = 3.





```
\blacktriangleright None of these
```

Question No: 21 (Marks: 1) - Please choose one

The method of loop invariants is used to prove correctness of a loop with respect to certain pre and postconditions.

True (Page 203)

- ➢ False
- \succ None of these

Question No: 22 (Marks: 1) - Please choose one

The greatest common divisor of 27 and 72 is

▶ 27

- > 9
- ▶ 1

 \blacktriangleright None of these

Solution:

1.Divide 72 by 27:

This gives $72 = 27 \cdot 2 + 18$

2.Divide 27 by 18:

This gives $27 = 18 \cdot 1 + 9$

3.Divide 18 by 9:

This gives $18 = 9 \cdot 2 + 0$ Hence greatest common divisor (72, 27) = 9.

Question No: 23 (Marks: 1) - Please choose one If a tree has 8 vertices then it has

- ➢ 6 edges
- > 7 edges
- ➢ 9 edges


Question No: 24 (Marks: 1) - Please choose one Complete graph is planar if

- > n = 4
- ≽ n>4
- ▶ $n \le 4$ (Page 315)

Question No: 25 (Marks: 1) - Please choose one The given graph is







Question No: 26 (Marks: 1) - Please choose one The value of 0! Is

- ▶ 0
- ▶ 1 (Page 160)
- ► Cannot be determined

Question No: 27 (Marks: 1) - Please choose one Two matrices are said to confirmable for multiplication if

- \blacktriangleright Both have same order
- Number of columns of 1st matrix is equal to number of rows in 2nd matrix (Page 300)
 Number of rows of 1st matrix is equal to number of columns in 2nd matrix

Question No: 28 (Marks: 1) - Please choose one

The value of (-2)! Is

- > 0
- ▶ 1
- > Cannot be determined (Page 217)

Question No: 29 (Marks: 1) - Please choose one

$$\frac{(n+1)!}{(n-1)!}$$

is The value of

- ▶ 0
- ➤ n(n-1)
- \succ $n^2 + n$
- Cannot be determined

mc100401285



 $\frac{(n+1)!}{(n-1)!} = \frac{(n+1).n.(n-1)!}{(n-1)!} = (n+1).n = n^2 + n$

Question No: 30 (Marks: 1) - Please choose one The number of *k*-combinations that can be chosen from a set of *n* elements can be written as

Question No: 31 (Marks: 1) - Please choose one

If the order does not matter and repetition is allowed then total number of ways for selecting k sample from n. is

```
    n<sup>k</sup>
    C(n+k-1,k) (Page 229)
    P(n,k)
```

➤ C(n,k)

```
Question No: 32 (Marks: 1) - Please choose one
```

If the order matters and repetition is not allowed then total number of ways for selecting k sample from n. is

- ≻ n^k
- \succ C(n+k-1,k)
- \triangleright P(n,k)
- ➢ C(n,k) (Page 225)

Question No: 33 (Marks: 1) - Please choose one

To find the number of unordered partitions, we have to count the ordered partitions and then divide it by suitable number to erase the order in partitions

```
> True (Page 233)
```

- ➤ False
- \blacktriangleright None of these

Question No: 34 (Marks: 1) - Please choose one A tree diagram is a useful tool to list all the logical possibilities of a sequence of events where each event can occur in a finite number of ways.

```
True (Page 237)False
```

Question No: 36 (Marks: 1) - Please choose one What is the output state of an OR gate if the inputs are 0 and 1?



moaaz.pk@qmail.com

▶ 0 > 1 ▶ 2 > 3 Question No: 38 (Marks: 1) - Please choose one

Let A,B,C be the subsets of a universal set U. $(A \cup B) \cup C$ is equal to:

Then

 \succ $A \cap (B \cup C)$ $\overset{\cdot}{\succ} A \cup (B \cap C)$ ⊳ Ø $\blacktriangleright A \cup (B \cup C) \text{ (Page 54)}$

Question No: 39 (Marks: 1) - Please choose one $n! > 2^n$ for all integers n ³4.

➤ True

False

Question No: 40 (Marks: 1) - Please choose one $+,-,\times,\div$

are

- ➢ Geometric expressions
- > Arithmetic expressions
- Harmonic expressions

FINALTERM EXAMINATION **Fall 2009 MTH202- Discrete Mathematics**

Question No: 1 (Marks: 1) - Please choose one The negation of "Today is Friday" is

► Today is Saturday

- Today is not Friday
- ► Today is Thursday

Question No: 2 (Marks: 1) - Please choose one In method of proof by contradiction, we suppose the statement to be proved is false.

- ► True (Page 193)
- ► False

Question No: 3 (Marks: 1) - Please choose one



moaaz.pk@gmail.com

Whether the relation R on the set of all integers is reflexive, symmetric, anti symmetric, or transitive, where $(x, y) \in \mathbb{R}$ if and only if $xy \ge 1$

- Anti symmetric
- ► Transitive
- ► Symmetric
- **b** Both Symmetric and transitive

<u>http://www.maths.uq.edu.au/courses/MATH1061/wkbooksols/chap10/S10_5_3solution.htm</u> Question No: 4 (Marks: 1) - Please choose one The inverse of given relation $R = \{(1,1),(1,2),(1,4),(3,4),(4,1)\}$ is

- ► {(1,1),(2,1),(4,1),(2,3)}
- ► {(1,1),(1,2),(4,1),(4,3),(1,4)}
- $\blacktriangleright \{(1,1),(2,1),(4,1),(4,3),(1,4)\}$

Question No: 5 (Marks: 1) - Please choose one A circuit with one input and one output signal is called.

NOT-gate (or inverter) (Page 31)

- ► OR- gate
- ► AND- gate
- ► None of these

Question No: 6 (Marks: 1) - Please choose one A sequence in which common difference of two consecutive terms is same is called

- ▶ geometric mean
- ► harmonic sequence
- ► geometric sequence
- ► arithmetic progression (Page 146)

Question No: 7 (Marks: 1) - Please choose one

If the sequence $\{a_n\} = 2.(-3)^n + 5^n$ then the term a! is

- -1
 0
- ► 1
- 2

Question No: 8 (Marks: 1) - Please choose one

How many integers from 1 through 100 must you pick in order to be sure of getting one that is divisible by 5?

- ► 21
- ► 41
- ▶ 81 (Page 241) ▶ 56
- ► 56

Question No: 9 (Marks: 1) - Please choose one What is the probability that a randomly chosen positive two-digit number is a multiple of 6?

0.5213
0.167 (Page 254)



moaaz.pk@gmail.com

▶ 0.123

Question No: 10 (Marks: 1) - Please choose one If a pair of dice is thrown then the probability of getting a total of 5 or 11 is $\blacktriangleright \frac{1}{18}$ $\frac{1}{9}$ ► $\blacktriangleright \frac{1}{6}$ Outcomes with sum of 5 = (1, 4)(2, 3), (3, 2), (4, 1)Outcomes with sum of 11 = (5,6), (6,5)*Total outcomes for* 5 & 11 = 6*Total outcome for* $2 dice = 6 \times 6 = 36$ Probability $=\frac{6}{36}=\frac{1}{6}$ Question No: 11 (Marks: 1) - Please choose one If a die is rolled then what is the probability that the number is greater than 4 $\blacktriangleright \frac{1}{3}$ $\blacktriangleright \frac{3}{4}$ $\blacktriangleright \frac{1}{2}$ *Number greater than* 4 = 5, 6Probability $=\frac{2}{6}=\frac{1}{3}$ Question No: 12 (Marks: 1) - Please choose one If a coin is tossed then what is the probability that the number is 5 $\frac{1}{2}$ ▶ 0 ▶ 1 Wrong Question Question No: 13 (Marks: 1) - Please choose one If A and B are two sets then The set of all elements that belong to both A and B, is

mc100401285

moaaz.pk@gmail.com

```
\blacktriangleright A U B
\blacktriangleright A \cap B (Page 42)
► A--B
► None of these
Question No: 14 (Marks: 1) - Please choose one
If A and B are two sets then The set of all elements that belong to A but not B, is
\blacktriangleright A \cup B
\blacktriangleright A \cap B
► None of these
► A—B
Question No: 15 (Marks: 1) - Please choose one
If A, B and C are any three events, then P(AUBUC) is equal to
\blacktriangleright P(A) + P(B) + P(C)
\blacktriangleright P(A) + P(B) + P(C)- P(A \Box B) - P (A \Box C) - P(B \Box C) + P(A \Box B \Box C) (Page 264)
\blacktriangleright P(A) + P(B) + P(C) - P(A \cap B) - P(A \cap C) - P(B \cap C)
\blacktriangleright P(A) + P(B) + P(C) + P(A \cap B \cap C)
Question No: 16 (Marks: 1) - Please choose one
If a graph has any vertex of degree 3 then
► It must have Euler circuit
► It must have Hamiltonian circuit
► It does not have Euler circuit
Question No: 17 (Marks: 1) - Please choose one
The contradiction proof of a statement p \rightarrow q involves
Considering p and then try to reach q
\blacktriangleright Considering ~q and then try to reach ~p
Considering p and ~q and try to reach contradiction (Not sure)
► None of these
Question No: 18 (Marks: 1) - Please choose one
How many ways are there to select a first prize winner a second prize winner, and a third prize winner
from 100 different people who have entered in a contest.
► None of these
► P(100,3)
► P(100,97)
► P(97,3)
Question No: 19 (Marks: 1) - Please choose one
A vertex of degree 3 is called a
► Terminal vertex
► Internal vertex (Page 323)
Question No: 20 (Marks: 1) - Please choose one
```





Suppose that a connected planar simple graph has 30 edges. If a plane drawing of this graph has 20 faces, how many vertices does the graph have?

▶ 12 (Page 318)

▶ 13


▶ 14

Question No: 21 (Marks: 1) - Please choose one

How many different ways can three of the letters of the word BYTES be chosen if the first letter must be B?

- ► P(4,2)
- ► P(2,4)
- ► C(4,2)
- ► None of these

Question No: 22 (Marks: 1) - Please choose one For the given pair of graphs whether it is



On the set of graphs the graph isomorphism is

- ► Isomorphic Invariant (Page 307)
- ► Equivalence relation
- ► Reflexive relation

Question No: 24 (Marks: 1) - Please choose one





```
A matrix in which number of rows and columns are equal is called
► Rectangular Matrix
Square Matrix (Page 289)
► Scalar Matrix
Question No: 25 (Marks: 1) - Please choose one
If the transpose of any square matrix and that matrix are same then matrix is called
► Additive Inverse
► Hermition Matrix
Symmetric Matrix (Page 299)
Question No: 26 (Marks: 1) - Please choose one
The number of k-combinations that can be chosen from a set of n elements can be written as
▶ nCk (Page 225)
► kCn
▶ nPk
► kPk
Question No: 27 (Marks: 1) - Please choose one
The value of C(n, 0) =
▶ 1 (Page 226)
▶ 0
▶ n
► None of these
Question No: 28 (Marks: 1) - Please choose one
If the order does not matter and repetition is not allowed then total number of
ways for selecting k sample from n. is
\blacktriangleright P(n,k)
\blacktriangleright C(n,k)
▶ nk
```

► C(n+k-1,k) (Page 225)

Question No: 29 (Marks: 1) - Please choose one If A and B are two disjoint sets then which of the following must be true

n(A∪B) = n(A) + n(B) (Page 257)
 n(A∪B) = n(A) + n(B) - n(A∩B)

- ► $n(A \cup B) = ø$
- ► None of these

Question No: 30 (Marks: 1) - Please choose one Among 200 people, 150 either swim or jog or both. If 85 swim and 60 swim and jog, how many jog?

```
125 (Page 241)
225
85
```




moaaz.pk@gmail.com


```
▶ 25
Question No: 31 (Marks: 1) - Please choose one
If two sets are disjoint, then P \cap Q is
ÞØ
► P
▶ 0
► PUQ
Question No: 32 (Marks: 1) - Please choose one
Every connected tree
does not have spanning tree
▶ may or may not have spanning tree
▶ has a spanning tree (Page 329)
Question No: 33 (Marks: 1) - Please choose one
When P(k) and P(k+1) are true for any positive integer k, then P(n) is not true for all +ve Integers.
► True (Lecture 23)
► False
Question No: 34 (Marks: 1) - Please choose one
When 3k is even, then 3k+3k+3k is an odd.
► True
► False
Question No: 35 (Marks: 1) - Please choose one
5n -1 is divisible by 4 for all positive integer values of n.
► True
► False
Question No: 36 (Marks: 1) - Please choose one
Quotient – Remainder Theorem states that for any positive integer d, there exist unique integer q and r
such that n=d.q+ r and _____.
▶ 0≤r<d (Page 201)
\blacktriangleright 0<r<d
\blacktriangleright 0 \le d \le r
► None of these
Question No: 37 (Marks: 1) - Please choose one
The given graph is
```







Question No: 40 (Marks: 1) - Please choose one The adjacency matrix for the given graph is





	10011
	00101
	$1 \ 0 \ 1 \ 1 \ 0$
	01001
	$1\ 0\ 0\ 0\ 0$
	$1\ 0\ 0\ 1\ 0$
	00101
	00110
▶]	None of these

10000

FINALTERM EXAMINATION Fall 2008 MTH202- Discrete Mathematics (Session - 3)

Question No: 1 (Marks: 1) - Please choose one When 5^k is even, then $5^k+5^k+5^k$ is odd.


- > True
- ➤ False

Question No: 2 (Marks: 1) - Please choose one An arrangement of objects without the consideration of order is called

> Combination

- > Selection
- > None of these
- > Permutation

Question No: 3 (Marks: 1) - Please choose one In the following graph



▶ 2

> 3

≽ 4

Question No: 4 (Marks: 1) - Please choose one Changing rows of matrix into columns is called

- ➢ Symmetric Matrix
- Transpose of Matrix (Page 229)
- Adjoint of Matrix

Question No: 5 (Marks: 1) - Please choose one

The list of the degrees of the vertices of graph in non increasing order is called

- Isomorphic Invariant
- Degree Sequence (Page 307)
- Order of Graph

Question No: 6 (Marks: 1) - Please choose one A vertex of degree greater than 1 in a tree is called a

- Branch vertex (Page 323)
- ➢ Terminal vertex
- ➢ Ancestor

Question No: 7 (Marks: 1) - Please choose one The word "algorithm" refers to a step-by-step method for performing some action

- True (Page 201)
- ➤ False
- \succ None of these

Question No: 8 (Marks: 1) - Please choose one The sum of two irrational number must be an irrational number

- ➤ True
- False (Page 197)

Question No: 9 (Marks: 1) - Please choose one An integer n is prime if, and only if, n > 1 and for all positive integers r and s, if $n = r \cdot s$, then

- r = 1 or s = 1. (Page 187)
 r = 1 or s = 0.
- r = 2 or s = 3.
- \succ None of these

Question No: 10 (Marks: 1) - Please choose one An integer n is even if, and only if, n = 2k for some integer k.

True (Page 187)



moaaz.pk@gmail.com

```
➢ False
```

Depends on the value of k

```
Question No: 11 (Marks: 1) - Please choose one
For any two sets A and B, A - (A - B) =
```

- ≻ AÇB
- ≻ AÈB
- ≻ A B
- \blacktriangleright None of these

Question No: 12 (Marks: 1) - Please choose one A walk that starts and ends at the same vertex is called

- > Simple walk
- > Circuit
- Closed walk (Page 292)

Question No: 14 (Marks: 1) - Please choose one Two distinct edges with the same set of end points are called

- ➤ Isolated
- ➤ Incident
- Parallel (Page 284)

Question No: 15 (Marks: 1) - Please choose one

The probability of getting 2 heads in two successive tosses of a balanced coin is

 $\begin{array}{c} \frac{1}{4} \\ \frac{1}{2} \\ \frac{2}{3} \end{array}$

Question No: 16 (Marks: 1) - Please choose one What is the probability of getting a number greater than 4 when a die is thrown?

- $\begin{array}{c} \frac{1}{2} \\ 3 \\ 2 \\ \frac{3}{2} \\ \frac{1}{3} \end{array}$
 - mc100401285



Number greater than 4 = 5, 6

Probability $=\frac{2}{6}=\frac{1}{3}$

Question No: 17 (Marks: 1) - Please choose one If two relations are reflexive then their composition is

- > Antisymmetric
- ➢ Reflexive
- ➢ Irreflexive
- > Symmetric

Question No: 19 (Marks: 1) - Please choose one Select the correct one

- > A proof by contradiction is based on the fact that a statement can be true and false at the same time.
- A proof by contraposition is based on the logical equivalence between a statement and its contradiction.(Page 198)
- > The method of loop invariants is used to prove correctness of a loop without any conditions.
- None of the given choices

Question No: 20 (Marks: 1) - Please choose one According to Demorgan's law $\sim (p \lor q) = ?$

mc100401285

```
 \sim p \lor \sim q 
 \sim p \land \sim q  Correct  \sim p \land q
```



